



vacuum relief valve
series RV24, RV44




<u>Standard version:</u>			Operating temperature
Material:	Inlet body	/ Bonnet pipe	
Typ RV44	1.4571	/ 1.4301	-60°C to 150°C
Typ RV24	2.0401	/ 2.0401	-10°C to 130°C
Connections:	soft seated		
Screwed connection: DIN ISO 228			see techn. appendix: KWD-1
<u>Approvals:</u>			
Pressure Equipment Directive: 2014/68/EU			
Declaration of Conformity			
			 




Size	Inlet			Outlet A	Dimensions			Height 'H'			Underpressure		Weight	
	E	d	l (G)		SW	d1				H	p U min.	p U max.		
		[mm]	[mm]			[mm]	[mm]				[mm]	[bar(g)]		[bar(g)]
I	½	26	12	free	32	12				92	- 0,05	- 0,95	0,35	
	¾	32				18								
II	1	39	12		46	23				92			1,25	
	1 ¼	46	14			25								
III	1 ½	55	14		60	38				125				
	2	68			70	48								
other design on request														

Abbildungen unverbindlich, Konstruktions-, Maß- und Werkstoffänderungen vorbehalten
illustrations are non-binding, all designs, configurations, measurements and materials are subject to change without prior notice




Size I
with Flange connection acc.
to DIN / ASME



Size I
with screwed connection acc.
to ISO 228

Item	Piece	Description	Item	Piece	Description
001	1	inlet body	405 *	1	o-ring
002	1	inlet flange	412 *	1	o-ring
032	1	bonnet pipe	413	1	guide plate
060 *	1	disc, complete	415	1	underpressure spring
062	1	disc	417	1	spring carrier
404	1	underpressure disc	428	1	spindle screw
079	1	lift stopper			
080	1	spindle			
139	2	nut			


* expendable parts



Item	Piece	Description	Item	Piece	Description
001	1	inlet body	405 *	1	o-ring
002	1	inlet flange	412 *	1	o-ring
032	1	bonnet pipe	413	1	guide plate
060 *	1	disc, complete	415	1	underpressure spring
062	1	disc	417	1	spring carrier
404	1	underpressure disc	428	1	spindle screw
079	1	lift stopper			
080	1	spindle			
139	2	nut			

* expendable parts

vacuum relief valve
series RV24, RV44



Item	Piece	Description	Item	Piece	Description
001	1	inlet body	405 *	1	o-ring
002	1	inlet flange	412 *	1	o-ring
032	1	bonnet pipe	413	1	guide plate
060 *	1	disc, complete	415	1	underpressure spring
062	1	disc	417	1	spring carrier
404	1	underpressure disc	428	1	spindle screw
079	1	lift stopper			
080	1	spindle			
139	2	nut			

* expendable parts