

## Βαλβίδες κατεύθυνσης - μηχανικά ενεργοποιούμενες 1/8" έως 1/4" Σειρά VC



VCMS32 . M .



VCMS52M1 .



VCMS52S1 .



VCLR32.M8



VCLR52M18



VCLR52018



VCLL32.M8



VCLL52M18

|                           |                                                                                                            |
|---------------------------|------------------------------------------------------------------------------------------------------------|
| Τύπος κατασκευής          | Συρταρωτή βαλβίδα, μηχανικά ενεργοποιούμενο                                                                |
| Σύνδεση                   | G1/8" ... G1/4" σύμφωνα με ISO228/1                                                                        |
| Ονομαστική διάμετρος      | G1/8" DN 6mm, G1/4" DN 8mm                                                                                 |
| Παροχή                    | G1/8" 650NI/min, G1/4" 1080NI/min                                                                          |
| Εύρος πίεσης              | 0...10bar                                                                                                  |
| Υλικά κατασκευής          | Σώμα Επινικελωμένο αλουμίνιο, Συρταρωτή βαλβίδα Ανοξείδωτος χάλυβας, Στεγανοποιήσεις NBR                   |
| Τύπος στερέωσης           | Διαμπερείς οπές στο σώμα βαλβίδας                                                                          |
| Θέση εγκατάστασης         | οποιοδήποτε                                                                                                |
| Μέσο                      | φιλτραρισμένος και λαδωμένος ή μη λαδωμένος πεπιεσμένος αέρας                                              |
| Θερμοκρασία μέσου         | 0...+40°C                                                                                                  |
| Θερμοκρασία περιβάλλοντος | -10...+50°C                                                                                                |
| Σημείωση                  | Αρχεία CAD είναι διαθέσιμα στο STASTO-Store στη διεύθυνση <a href="http://www.stasto.eu">www.stasto.eu</a> |



### VCMS32 . M8 Βαλβίδα 3/2 οδών G1/8" Έκκεντρο/ελατήριο

|  |  | Λειτουργία | F ελάχ. | F μέγ. | Τύπος     |
|--|--|------------|---------|--------|-----------|
|  |  | NC         | 20N     | 40N    | VCMS326M8 |
|  |  | NO         | 20N     | 40N    | VCMS329M8 |

### VCMS32 . M4 Βαλβίδα 3/2 οδών G1/4" Έκκεντρο/ελατήριο

|  |  | Λειτουργία | F ελάχ. | F μέγ. | Τύπος     |
|--|--|------------|---------|--------|-----------|
|  |  | NC         | 40N     | 60N    | VCMS326M4 |
|  |  | NO         | 40N     | 60N    | VCMS329M4 |

### VCMS52M18 Βαλβίδα 5/2 οδών G1/8" Έκκεντρο/ελατήριο



|  |  | F ελάχ. | F μέγ. | Τύπος     |
|--|--|---------|--------|-----------|
|  |  | 20N     | 40N    | VCMS52M18 |

### VCMS52M14 Βαλβίδα 5/2 οδών G1/4" Έκκεντρο/ελατήριο



|  |  | F ελάχ. | F μέγ. | Τύπος     |
|--|--|---------|--------|-----------|
|  |  | 40N     | 60N    | VCMS52M14 |






**VCMS52S18 Βαλβίδα 5/2 οδών G1/8" Έκκεντρο/Έκκεντρο**

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <p>Τύπος</p>     |
|  <p>Technical drawing of the VCMS52S18 valve. The front view (left) shows a cylindrical body with a total length of 83.5 mm, a mounting flange diameter of Ø8, and a mounting height of 6.5 mm. The side view (right) shows a total length of 73.5 mm, a mounting flange diameter of Ø15, and a mounting height of 1 mm. The valve has two ports, each with a G1/8 connection. The body is made of stainless steel (AISI 316) and is designed for high-pressure applications.</p> |  <p>Schematic diagram of the VCMS52S18 valve. The diagram shows a horizontal cylindrical body with two ports. The left port is labeled 14 and the right port is labeled 12. The internal flow path is indicated by arrows and numbers: 4 and 2 for the main flow, and 5 and 13 for the bypass flow. The valve is designed for high-pressure applications and is made of stainless steel (AISI 316).</p> | <p>VCMS52S18</p> |


**VCMS52S14 Βαλβίδα 5/2 οδών G1/4" Έκκεντρο/Έκκεντρο**

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                |           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                | Τύπος     |
|  <p>Technical drawing of the VCMS52S14 valve showing front and side views with dimensions.</p> <p>Front View Dimensions:</p> <ul style="list-style-type: none"> <li>Total height: 85.3</li> <li>Top flange thickness: 7.3</li> <li>Top flange outer diameter: <math>\varnothing 10</math></li> <li>Top flange inner diameter: 4.2</li> <li>Body height: 20</li> <li>Body outer diameter: 26</li> <li>Body inner diameter: 22</li> <li>Bottom flange thickness: 3.0</li> <li>Bottom flange outer diameter: 40</li> </ul> <p>Side View Dimensions:</p> <ul style="list-style-type: none"> <li>Total height: 88.5</li> <li>Top flange thickness: 1</li> <li>Top flange outer diameter: <math>\varnothing 20</math></li> <li>Top flange inner diameter: 20.5</li> <li>Body height: 20.5</li> <li>Body outer diameter: 25</li> <li>Body inner diameter: 14</li> <li>Bottom flange thickness: 3.7</li> <li>Bottom flange outer diameter: 74</li> </ul> |  <p>Schematic diagram of the VCMS52S14 valve showing port connections.</p> <p>Port Connections:</p> <ul style="list-style-type: none"> <li>Port 14: Inlet</li> <li>Port 12: Outlet</li> <li>Port 4: Inlet</li> <li>Port 2: Outlet</li> <li>Port 5: Inlet</li> <li>Port 13: Outlet</li> </ul> | VCMS52S14 |

**VCLR32 . M8 Βαλβίδα 3/2 οδών G1/8" Κύλινδρος/Ελατήριο**



|                                                                                     |                                                                                     | Λειτουργία | F ελάχ. | F μέγ. | Τύπος     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------|---------|--------|-----------|
|  |  | NC         | 10N     | 20N    | VCLR326M8 |
|                                                                                     |  | NO         | 10N     | 20N    | VCLR329M8 |

**VCLR52M18 Βαλβίδα 5/2 οδών G1/8" Κύλινδρος/Ελατήριο**



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                           |         |        |           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|-----------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                           | F ελάχ. | F μέγ. | Τύπος     |
|  <p>Technical drawing of the VCLR52M18 valve. The front view (left) shows a vertical assembly with a total height of 101.8 mm, a top section height of 7.4 mm, and a base diameter of 20 mm. The side view (right) shows a vertical section with a total height of 53.5 mm, a top section height of 27.5 mm, a base diameter of 30 mm, and a mounting bracket height of 4.2 mm. A G1/8 connection is indicated on the side view.</p> |  <p>Technical drawing of the VCLR52M18 valve showing a top view. The drawing includes dimensions for the mounting bracket (14, 4, 2, 5, 1, 3) and a central circular feature (12).</p> | 10N     | 20N    | VCLR52M18 |





## VCLR52018 Βαλβίδα 5/2 οδών G1/8" Ρολό/Ρολό

|                                                                                   |                                                                                    | Τύπος     |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------|
|  |  | VCLR52018 |

## VCLL326M8 Βαλβίδα 3/2 οδών G1/8" Κύλινδρος/Ελατήριο

|                                                                                   |                                                                                   | Λειτουργία | Τύπος     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|-----------|
|  |  | NC         | VCLL326M8 |

## VCLL52M18 Βαλβίδα 5/2 οδών G1/8" Κύλινδρος/Ελατήριο

|                                                                                     |                                                                                      | Τύπος     |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------|
|  |  | VCLL52M18 |

### Εικόνες χωρίς δέσμευση

Με την επιφύλαξη αλλαγών στον σχεδιασμό, στις διαστάσεις και στα υλικά

Πνευματική τεχνολογία / Βαλβίδες κατεύθυνσης – μηχανικές / χειροκίνητες, πνευματικά στοιχεία ελέγχου / Βαλβίδες κατευθυντικού ελέγχου ρόλου / Βαλβίδα 3/2 οδών Σειρά VCLL

Έκδοση 7

138328 / Δημιουργήθηκε 2026/40 EL

ΚΑΤΑΣΚΕΥΑΣΤΗΚΕ ΣΤΗΝ ΕΥΡΩΠΗ

+43 512 52076

austria@stasto.eu

© STASTO Automation KG

www.stasto.com

Άνοιγμα σειράς online

Σελίδα 4 / 4

